

TECHNICAL DATA

Fluke RS200 替换探头组




主要特性

兼容PM8918、VPS100、VPS101、VPS121和VPS200系列探头。

产品概述: Fluke RS200 替换探头组

包含使用VPS200和PM8918范围探头的替换部件。

Ordering information



Fluke RS200

RS200 替换探头组

ul>

- Set includes 600V CAT III / 1000V CAT II rated:
 - Hook Clip for Probe Tip (2 Red, 1 Gray)
 - 4-mm Test Probe for Probe (1 Red, 1 Gray)
 - Ground Lead with Hook Clip (1 Red, 1 Gray)
 - Ground Lead with Mini Alligator (2 Black).
 - Ground Spring for Probe Tip (5x) 30V CAT II Rated
- Max. Input Voltage: 600V CAT III, 1000V CAT II per IEC 1010-2-031
- Max. Voltage to Ground: 600V CAT III, 1000V CAT II per IEC 1010-2-031



Fluke. 让您的工作畅通无阻。

福禄克测试仪器（上海）有限公司 电话：400-810-3435 ©2024 福禄克公司
10/2024
北京福禄克世禄仪器维修和服务有限公司 电
话：400-615-1563 未经许可，本文档禁止修改
福禄克测试仪器（上海）有限公司上海维修中心 电
话：021-54402301, 021-54401908分机269
福禄克测试仪器（上海）有限公司深圳第一特约维修点
电话：0755-86337229