

RAFIX 22 FSR, emergency stop, round collar, metal mushroom head, illuminated, reset by pulling

4006-022-002



fields of application

- > Measurement-control-regulation
- > Mechanical and system engineering
- > Agricultural and forestry machinery
- > Construction machinery

special features

- > Not-Halt in klassischer Bauform
- → Geringe Einbautiefe 9,2 mm (PCB) bzw. 27 mm (QC)
- ➤ Anschlussarten: Leiterplattenanschluss (PCB) oder Steckanschluss (QC)
- Die PCB-Schaltelemente minimieren Montagefehler
- Schaltelemente mit Silberkontakten (max. 250 V/4 A) oder Goldkontakten (max. 35 V/100 mA)
- > Schutzgrad: IP 65 frontseitig









description

RAFIX control components are defined by RAFI as modular elements, including of actuator element, coupling if necessary and individual contact or lighting element.

Actuators (such as pushbuttons, emergency-stop pushbuttons, etc.) have the specified tactility, reset and general function only in combination with the appropriate contact elements.

The emergency stop buttons correspond to IEC 60 947 and VDE 0113 Part 1. Thanks to a forcibly actuated mechanical motion sequence, they are dupe-proof in accordance with DIN EN ISO 13850. In order to prevent unintentional actuation, a tactile feedback must be overcome. The key switch locks into the pressed position.

The design of the actuator protects the emergency stop button from interlocking. This means that an initiated emergency stop procedure cannot be interrupted by jamming objects.

Only use with the emergency stop switching element.

The illuminated version is illuminated through a central round window.

The information in this data sheet only contains general descriptions and / or performance features, which may not apply precisely as described to the respective application, and which my change due to further product enhancements. The technical data, illustrations and other information about our products are the mere results of individual technical testing. These descriptions and other product features are only binding if they expressly agreed upon at the time of the conclusion of a binding contract. In all other cases, we reserve the right to make technical changes as well as changes of availability. Pictures and other graphic illustrations are approximations only. All product names may be trademarks or brand names of the RAFI Group or any other sub-supplier of RAFI. The use of such by any third parties for their own purposes may infringe the rights of the respective entity holding those rights.

4006-022-002

1.30.283.111/0300



technical data

> general

illuminated Yes Bezel color red Collar shape round Operating temperature, min. -40 °C 85 °C Operating temperature, max. Storage temperature, min. -40 °C Storage temperature, max. 85 °C Packaging Box Packaging unit 2 pcs.

Environment resistance IEC 60068-2-14

IEC 60068-2-30 IEC 60068-2-33 IEC 60068-2-78

IEC 60068-2-11

Operating life 10,000 Cycles

Degree of protection, front side, IP65 according to DIN EN 60529 IP67 IP69

UL Enclosure Type Rating front type 1 type 4X

Salt-spray resistance according to

standard

RoHS compliant Yes

REACH compliant Yes Demontage möglich No IP6K9K Degree of protection, front side,

according to ISO 20653

SAP MOQ order 2

mounting diameters

22.3 mm Mounting hole Mounting depth 9.2 mm Installation height 41.1 mm Grid, min. 40 x 40 mm Outside dimension, length 31.3 mm Outside dimension, width 31.3 mm Collar dimension ø 31,3 mm

> mechanical data

Actuation function latching 100 N Operating force, max. Resistance to force on the side 750 N Resetting by pulling Fixing Threaded ring

2 Nm Threaded ring torque, max.


The information in this data sheet only contains general descriptions and / or performance features, which may not apply precisely as described to the respective application, and which my change due to further product enhancements. The technical data, illustrations and other information about our products are the mere results of individual technical testing. These descriptions and other product features are only binding if they expressly agreed upon at the time of the conclusion of a binding contract. In all other cases, we reserve the right to make technical changes as well as changes of availability. Pictures and other graphic illustrations are approximations only. All product names may be trademarks or brand names of the RAFI Group or any other sub-supplier of RAFI. The use of such by any third parties for their own purposes may infringe the rights of the respective entity holding those rights.

1.30.283.111/0300




drawings


Dimensioned drawing



System drawing



System drawing



mounting

RAFIX 16, RAFIX 22 FS+, RAFIX 22 FSR, RAFIX 22 QR

Betriebsanleitung Not-Halt-Befehlsgeräte

Operating Instructions EMERGENCY STOP Control Units

4006-022-002

Mode d'emploi auxiliaires de commande d'ARRÉT D'URGENCE

An information to the Association resolution for the Association of th

A State 20 Mayor is skiller risk, er kurser (er Aur, eski nell'in kie Werk er arbar i Namel (er arba) second conclude

An Charles Contained Make of Rectifying recognized allocal Security Contained to the Rectifying the African Recognized and the Analysis of Salasers An allocated Manager of Contained Supports

k. al. 2 M laser forms and from 2 and i kneeds man for some shall in a consistent.
 k. al. 2 m laser funded a deciring for safe garden deciring from the conduction and all enabled.

arter zersen kosserki 18. juli - Orlaen Juli & Wallander, zer ade sammd zitsen e krizer aund zitsen run 18. februard das Willamer und de en ziel aser

(I) L Salety matrix trons

- Markon II operansur arasını asın Mayner ve v - 29. KS - KS a (Mara Denom - Ameri Dene va pervi erin pepruv madhar

Improper vision chirally range bear may extense visiting in 3.
29. 85. 85 v. 65 v. actorisations are visited by use from visital kindly the may show

Operas de LML 102 ESTA OP viral fora y le a inflyenty per madhaci in Desaci

procedural analysis of terraduce or his More Mark War Read (Mosco and more than a few control of the place frame his ly the enterior and few and more as the control of the procedural and a few few and the enterior and procedure are a complementally of the account of the few con-

1 Consignes desecune

Established and Association

The consideration disclored kills in plantain distance in least

A Christian externa ex

A servele Alexandro que presenta que asserva a la leve con consumplican posser, servente de como composite contra d'

A servente de la como composite contra de la composite del la composite de la composite

A 2005, ECP

Available and confidence of the analysis of highlighter scholars by the analysis of the object by the analysis of the object by the analysis of the analysis of the object by the analysis of the analysis of the object by the analysis of the analysis of the object by the analysis of the analysis of the object by the analysis of the analysis of the object by the object by the analysis of the analysis of the object by the o

scribs and a king service proprose take or or (barier) king on a king service by the service of the service baries of the service by the service of the service baries of the se

A forester Time Conserve to progression (22).

A record to the adversary of known to the active active active active to the active active active active to the active acti

4. d. 2011 serie and oktaonischenski schalzenis ern sette etc. Anseren se kristika scheden Madadzischen Mindagen untereten Dichmen ausmanderen 20 an La Timber (1975-Mer er Lad i kr. Ar Mer al er I Mralins av somer kr. e krad 200300

er kort saktrali er kramana er tastrinder "Negre Visier setar imgesteller Sker

As March 1 and the 2000/12/10

(a) An order of the source of the source of the added to according to some of the source of the s

Sansar Kran Shan Ki Sir Sir Kiri san Telaktiz shirif are 10-Shiri fe sanziran ƙishaƙiffi.

2. 1 MO 158 10 (200) 1 Like (58) 020 to 2 1 (80) (58) 10 2 20 (2 . 100201 (1) (2000

2. General description and intended use

2.50. Co. ES a Consideration in observed male and male loss of boards providing the providing and the consideration of the consideratio

To Silvanian and finds in the action is apply as donorance probability of material colors. The distribution of safety

Mada no proposary 2000/12/50

wife ay can the le New Kergie werden is welfaer in hele in heine is ay

Mine factors and the resoluted in superants that I SML RSN as Observations are required by the above and the superants are consistent as the TDS implication of the superants are consistent as the superant are consistent as the superants are consistent as the superant are consistent a in held over the Land.

on Tournaulli zon in Topon zon of EME WEI KOVA (Produzel 1 kaso an Inc. a.d. Tour an Kil es: Ja Milyanan yang salam di oderas hidanah na menangkalap dan ed Latan (58.19) (2019 — Latan (58.0-2019) Latan (58.19) (2012 — LiGozofa (5), 2009

2. Description generale et application conforme aux prescriptions

anonline a kosamini k. 1901. (2005. E. var. kanpineti kosamisiase eks nesamise aperipe sosa kaparen esita erona arongan interesi karindine aka ethodos a kransaltuer a rika menaritman kasa kresonzi filik penasazi o diminon kanneye a kakiririna osoqorida a kakiriririnda Burlinina siranisis Dahamara da osonida asəliriye adları opsavila ipisəmləri

andressaw with a risking reskir broking 2000/12/50

and a carrier of the season know knacheski in a know in-

Control Market (1993) administration for a substitution of the annihilation of the second of the ASS (1993) and the annihilation of the second Rapposarpier e aradementa Rassario en societa. Renda callinere de operación Rapposario 1900, 12,200, 181, Resente concesso consisten

. Knor o action observed a substantial knim periodic action of one of the calibrate of Lemony to Sums.

. 1 vii 128 a 20 s

1 1 x/0 (5810 (20)) 1 1 x/0 (5810 220)2

3. Produktivechierburg 5. Let (2014), 4. 2. 5 Hoseria Tenadar neperior variancian san 20. isaan musanari. . Further the substitute of t

As 20. Jacobs at 15 km. Krall. 20. along the grant sackers of Manjor and Nature 20. along the Krall.

Celle assertion fold in health mode of an affection consistent of administration of Management of the Celle and American State of the cells of the cells of the cells of the Academy of the Celle and American of the Celle and American of the Celle and American of the Celle and American

(TD) 3. Product description

 $20\,\mathrm{km}/3$, 93.00 . KN a $9910\,\mathrm{km}$ in morally of isomer window had one or new windows and $910\,\mathrm{km}/9910\,\mathrm{km}$ and the order of interest is readily of the order of the consequence of made his repaired coarsi

To a new period III agree with a Matellian in the Lagrage Conserted on the

recycles from the second and an animal second and the second and the second and the second and second and the s

3. Description de produit

American Scholar product 1994. A 2005 Killian composed for south mental based on the Scholar scholar for the summand of the scholar product 1994. A 2005 Killian composed for summand by the scholar forms before the scholar forms and the scholar forms of the scholar forms.

a kazarran kira a "Gasarpin gipir kira a kundara sekir fizikura a falk kizik diffisik a "Gaza

June some die auer versendigteste en intera-

Andrewson in the file out of proceeds the decision for every control of Mazzin facilities of the Control of Mazzin facilities of the Control of Control of

Produkt Product Product	Embaro O man Mountag O man Montage O man		Schaltelement Confact block Element de commutation
ten kilo	0.02	9.43 V S.9.43	20, 2000000 52, 200000
SAC - NO	02+ 022+	2003 · · · · · · · · · · · · · · · · · ·	
ten kaakot	0.22 ·	9,241 5 9,241	50. 0
ten kaann	0.22 -	9,20, 5,9,20,	26, 26, 52, 26,
ten kaann	Oug -	9,27****** 5 9,27******	26, 26,
ten kaannt	0.22 -	n, 241 '5 n, 241	26, 26,

Tabelle 3.1 We but both in Tellipson sure our scalar pointed in a

Table 3.1 for interest of multi-drople with first distribution

Tableau 3.1 Paul les reges caracterists de la finite de la actual actual de la company de la company

The information in this data sheet only contains general descriptions and / or performance features, which may not apply precisely as described to the respective application, and which my change due to further product enhancements. The technical data, illustrations and other information about our products are the mere results of individual technical testing. These descriptions and other product features are only binding if they expressly agreed upon at the time of the conclusion of a binding contract. In all other cases, we reserve the right to make technical changes as well as changes of availability. Pictures and other graphic illustrations are approximations only. All product names may be trademarks or brand names of the RAFI Group or any other sub-supplier of RAFI. The use of such by any third parties for their own purposes may infringe the rights of the respective entity holding those rights.