



## 张力传感器

### Tension sensors



## MZL三滑轮张力传感器

### MZL Triple Pulley Tension Sensor

- Demonstration project of one-stop application plan for high-precision sensors of Ministry of Industry and Information Technology of China
- National level specialized and special new "little giant" enterprise, national level high-tech enterprise
- Key products of strong industrial base in China, demonstration enterprise of sensor one-stop application plan of Ministry of Industry and Information Technology of China

# MZL三滑轮张力传感器

## MZL Triple Pulley Tension Sensor

### 产品实物图Product Picture



### 产品概述Product Overview


米朗科技张力传感器采用应变片在传感器内部组成惠斯通电桥，传感器在受到外力作用时会产生形变，引起紧贴在传感器内部的应变片阻抗成线性的增加或者减小。通过变送器可将力学量转换成标准的4-20mA, 0-5V, 0-10V等模拟信号直接与自动控制设备PLC或计算机等连接。

Miran Technology Tension Sensor adopts strain gauges inside the sensor to form a Wheatstone bridge. The sensor will deform when it is subjected to external force, which will cause the impedance of the strain gauges tightly attached to the sensor to increase or decrease linearly. Through the transmitter can be converted into standard mechanical quantities 4-20mA, 0-5V, 0-10V and other analog signals directly with the automatic control equipment PLC or computer connection.

米朗科技张力传感器采用合金钢材质，稳定性高，安装方便，信号稳定抗干扰，可安装不同规格滑轮。

Miran Technology's Tension Sensor is made of alloy steel, high stability, easy to install, stable signal and anti-interference, and can be installed with different specifications of pulleys.

## 产品型号选型 Product Model Selection



例如Example:

**MZL-300N-V1:** 米朗科技张力传感器, 量程为300N, 输出方式为0-5V。

**MZL-300N-V1:** Miran technology tension sensor, range 300N, output 0-5V.

## 电气连接 Electrical Connection

传感器接线方式 sensor wiring method	红色 RED	黑色 BLACK	绿色 GREEN	屏蔽线 SHIELDED WIRE
	电源正 power positive +12-24VDC	电源负 power negative 0V	信号输出 signal output	接大地 connect to earth GND

注: 以上仅为参考, 具体接线定义以产品实物标签上的标注为准。






Note: The above is for reference only, the specific wiring definition is subject to the labeling on the physical product label.

## 性能参数 Performance Parameters


### 性能指标 Performance indicators

型号 Model number	MZL系列张力传感器 MZL series tension sensor	量程 Range	50-300N
灵敏度 Sensitivity	2.0±0.1mv/V	阻抗 Impedance	350Ω
综合精度 Comprehensive accuracy	±0.1%FS	绝缘电阻 Insulation resistance	≥5000MΩ
非线性 Nonlinear	±0.1%FS	工作温度 Operating temperature	-20 ~ +80°C
滞后误差 Lag error	±0.1%FS	极限过载 Maximum overload	200%R.C
重复性误差 Repeatability error	±0.1%FS	安全过载 Safety overload	150%R.C
零点温度系数 Zero temperature coefficient	±0.05%FS/10°C	材质 Material	合金钢 alloy steel
蠕变 Creep	±0.1%FS/30min	传感器工作电压 Sensor operating voltage	+12-24VDC

产品尺寸图 Product Dimension Drawing



应用领域 Areas of application




• 光纤动态测量

Fiber optic dynamic measurement



• 电缆动态测量

Cable dynamic measurement



• 胶带生产设备测量

Tape production equipment measurement



• 线材生产设备

Industrial automation



• 纱线生产设备

Yarn production equipment



• 工业自动化

Industrial automation



• 纺织领域

Textile field



• 汽车装配测试

Automotive assembly testing



张力传感器应用场所极多,随着核心技术的发展,张力传感器得到越来越广泛的应用;适合应用于光纤、纱线、电缆、胶带等各类线材生产设备,用于张力的动态测量。

Tension sensors are used in many places, with the development of core technology, tension sensors are more and more widely used; suitable for use in optical fiber, yarn, cable, tape and other various types of wire production equipment, for the dynamic measurement of tension.



辐射全国 放眼世界

Radiate to the whole country and see the world

质量第一  
Quality First

用户至上  
Customer First

诚信为本  
Credit First

将致力于位移、物位、角度等测控领域

Will be committed to the field of displacement, level, angle measurement and control

为客户提供一站式解决方案的产品与服务

Products and services that provide one-stop solutions for our customers

版权归深圳市米朗科技有限公司所有

Copyright © Shenzhen Miran Technology Co

本选型样本如有变动，恕不另行通知，以最新版本为准

This catalog is subject to change without notice and the latest version shall prevail

任何拷贝、复制、拍摄制作作为商业用途均属于侵权

Any copying, reproduction, filming or production for commercial use is an infringement of copyright

主要著作人：王工

Main author: Wang artwork

2024年06月出品

Produced in June 2024